



COMPANY PRESENTATION

AM GROUP



MAIN SERVICES



URAL NEXT 4320



MODERNIZATION URAL




**MODERNIZATION
KAMAZ**



MAZ TRUCK



TRACKED VEHICLES



**SUPPLY AND SALE OF
TRUCKS FOR EXPORT**



LOGISTICS SERVICES



ARMORED VEHICLES

URAL NEXT 4320

Superstructures on chassis:



Concrete Mixer Truck



Tipper Truck with Three-Sided Discharge



Flatbed Truck



Flatbed Truck with Crane Manipulator



Tractor Unit with Crane Manipulator



Vehicle for Transporting Explosives



Combined Road Machine

ENGINE MODEL	YAMZ-53623-10, Euro - 5
ENGINE POWER	208 kW (283 hp)
TRANSMISSION	YAMZ-1105, 5-speed
WHEEL FORMULA	6x6
CHASSIS PAYLOAD CAPACITY	13,200 kg
FUEL TANK	300 liters
TIRES	425/85 R21
CAB	NEXT 1-row
CHASSIS WEIGHT IN BOARDED CONDITION	8,390 kg
TECHNICALLY ALLOWED TOTAL WEIGHT	22,500 kg
WARRANTY ON CHASSIS	24 MONTHS OR 150,000 KM

MODERNIZATION OF URAL VEHICLES



- The warranty is for 12 months or 30,000 km of mileage.
- Maintenance of vehicles is performed at authorized service centers of AO "Automobile Plant Ural."

- Modernization includes comprehensive restoration of the resource of outdated vehicles of Euro 0, 1, 2, and 3 classes using original spare parts and components.
- Machine kits are produced at the AO "Automobile Plant Ural."

Advantages:

- The components and aggregates of the used vehicle remain at the owner's disposal with the possibility of their use or sale.
- A uniform fleet by environmental class allows for convenient nomenclature of spare parts.
- Only new components and aggregates of domestic production are used in the assembly of the machine kit.

Tractor Truck



EURO - 0



EURO - 3

Tank Truck



EURO - 2



EURO - 3


Tipper Truck



EURO - 1



EURO - 3



MODERNIZATION OF KAMAZ VEHICLES



- The warranty is 12 months or 45,000 km of mileage.
- Maintenance of the vehicles is carried out at authorized service centers of PJSC "KAMAZ".

- The modernization includes a comprehensive restoration of the resource of outdated vehicles of Euro classes 0, 1, 2, and 3 using original spare parts and components produced by PJSC "KAMAZ".
- Machining kits are produced at PJSC "KAMAZ".

ADVANTAGES OF MODERNIZATION:


- The units and aggregates of the used car remain at the owner's disposal, providing the opportunity for their use or sale.
- A homogeneous fleet by ecological class allows for maintaining a convenient nomenclature of spare parts.
- Only new units and aggregates of domestic production are used in the assembly of the machine kit.



USED VEHICLE WITH PTS



VEHICLE AFTER MODERNIZATION



MAZ TRUCKS ON METHANE



TRACTOR-TRAILER

MAZ-54402N

IT IS INTENDED FOR TRANSPORTATION OF VARIOUS CARGOES AS PART OF A ROAD TRAIN ON HIGHWAYS

TECHNICAL SPECIFICATIONS

WHEEL FORMULA	4 X 2
WHEELBASE, HEIGHT OF THE SADDLE COUPLING DEVICE, MM	3 850, 1150
LOAD ON THE SADDLE COUPLING DEVICE, KG	8850
ENGINE, POWER, KW, HP	EURO-5, 306 kW, 416 hp
TRANSMISSION	ZF 16S2220 TD, 16 SPEEDS
ENGINE FUEL SYSTEM	NATURAL GAS (CNG)
FUEL TANK CAPACITY (CYLINDERS), L	1 092 (218)
FUEL CONSUMPTION PER 100 KM, CUB. M	60
RANGE WITHOUT REFUELING, KM	450 - 750
UNLADEN MASS, KG	9 100 / 17 850
REFUELING TIME, MIN	15 - 20

FOUR-WHEEL DRIVE CHASSIS / WITHOUT PLATFORM

MAZ-630223

DESIGNED FOR INSTALLATION OF VARIOUS EQUIPMENT

TECHNICAL SPECIFICATIONS

WHEEL FORMULA	6 X 6
WHEELBASE, HEIGHT OF THE SADDLE COUPLING DEVICE, MM	(4 400 + 1 400) + 1 050
LOAD CAPACITY	16 000
ENGINE, POWER, KW, HP	EURO-5, 206 kW, 289 hp
TRANSMISSION	ZF 9S1310 TO, 9 SPEEDS
ENGINE FUEL SYSTEM	NATURAL GAS (CNG)
FUEL TANK CAPACITY (CYLINDERS), L	1 000 (200)
FUEL CONSUMPTION PER 100 KM, CUB. M	46
RANGE WITHOUT REFUELING, KM	430
UNLADEN MASS, KG	10 850/ 27 000
REFUELING TIME, MIN	15 - 20

TRUCK CHASSIS / WITHOUT PLATFORM

MAZ-534023

DESIGNED FOR INSTALLING VARIOUS EQUIPMENT

TECHNICAL SPECIFICATIONS

WHEEL FORMULA	4 X 2
WHEELBASE, HEIGHT OF THE SADDLE COUPLING DEVICE, MM	(4 400 + 1 400) + 1 050
LOAD CAPACITY	12 200
ENGINE, POWER, KW, HP	EURO-5, 206 kW, 280 hp
TRANSMISSION	ZF 9S1310 TO, 9 SPEEDS
ENGINE FUEL SYSTEM	NATURAL GAS (CNG)
FUEL TANK CAPACITY (CYLINDERS), L	892 (178)
FUEL CONSUMPTION PER 100 KM, CUB. M	46
RANGE WITHOUT REFUELING, KM	370
UNLADEN MASS, KG	8 450 / 20 500
REFUELING TIME, MIN	15 - 20

TRACKED VEHICLES



BOBR PASSENGER

ENGINE	CUMMINS ISF 2.8, 96 kW, 130.5 hp
TRANSMISSION	MANUAL 5 SPEED
TOTAL MASS	4200 kg
CAPACITY	6 PEOPLE
SPEED ON WATER	UP TO 5 KM/H



BOBR CARGO

ENGINE	CUMMINS ISF 2.8, 96 kW, 130.5 hp
TRANSMISSION	MANUAL 5 SPEED
TOTAL MASS	4200 kg
CAPACITY	6 PEOPLE
SPEED ON WATER	UP TO 5 KM/H



IRBIS PASSENGER

ENGINE	D245.7E2 - 122 HP (DIESEL)
TRANSMISSION	MANUAL
TOTAL MASS	7000 KG
CAPACITY	12 PEOPLE
SPEED ON WATER	UP TO 5 KM/H



IRBIS CARGO-PASSENGER

ENGINE	D245.7E2 - 122 HP (DIESEL)
TRANSMISSION	MANUAL
TOTAL MASS	7000 KG
CAPACITY	12 PEOPLE
SPEED ON WATER	UP TO 5 KM/H



IRBIS CARGO

ENGINE	D245.7E2 - 122 HP (DIESEL)
TRANSMISSION	MANUAL
TOTAL MASS	7000 KG
CAPACITY	12 PEOPLE
SPEED ON WATER	UP TO 5 KM/H



ZZGT-3344

ENGINE	TURBO DIESEL
TRANSMISSION	MANUAL 5-SPEED
TOTAL MASS	13500 KG
CAPACITY	5 PEOPLE / 12 PEOPLE
SPEED ON WATER	UP TO 3.8 KM/H



ZZGT-340398

ENGINE	MMZ-D245 (DIESEL)
TRANSMISSION	MANUAL 5-SPEED
TOTAL MASS	8500 KG
CAPACITY	13 PEOPLE
SPEED ON WATER	UP TO 5 KM/H



FIRE TRUCK MT-LBU-GPM-10

ENGINE	YAMZ-238
WATER AND FOAM TANK CAPACITY	3700, 300
CAPACITY	7-12 PEOPLE
MAXIMUM SPEED	UP TO 60 KM/H
SPEED ON WATER	UP TO 5 KM/H

BURAN ARMORED VEHICLES



ENGINE	YAMZ-53442 – 4-STROKE, DIESEL
TRANSMISSION	MANUAL 5-SPEED
FUEL TANK CAPACITY	2 X 105 LITERS
GROUND CLEARANCE	340 MM
WHEEL FORMULA	3,770 MM
RANGE	1,400 KM
DIMENSIONS (L X W X H)	5,810 X 2,260 X 2,350 MM
CURB WEIGHT	7,600 KG
PAYLOAD CAPACITY	1,200 KG
MAXIMUM SPEED	100 KM/H
FUEL CONSUMPTION	15 L/100 KM
PROTECTION CLASS	BR-4
WARRANTY	12 MONTHS OR 30,000 KM



BURAN 10	
GROSS WEIGHT	10,600 KG
CARGO WEIGHT	9,500 KG
CAPACITY	UP TO 10 PEOPLE



BURAN PICKUP	
GROSS WEIGHT	10,600 KG
CARGO WEIGHT	8,000 KG
CAPACITY	5 PEOPLE



BURAN UNIVERSAL	
GROSS WEIGHT	10,600 KG
CARGO WEIGHT	9,500 KG
CAPACITY	6-8 PEOPLE



BURAN CARGO	
GROSS WEIGHT	10,600 KG
CARGO WEIGHT	7,500 KG
CAPACITY	2 PEOPLE



BURAN 6	
GROSS WEIGHT	10,600 KG
CARGO WEIGHT	8,400 KG
CAPACITY	6 PEOPLE



БУРАН 5УШ	
GROSS WEIGHT	10,600 KG
CARGO WEIGHT	7,800 KG
CAPACITY	5 PEOPLE




BURAN COMMAND STAFF VEHICLE	
GROSS WEIGHT	10,600 KG
CARGO WEIGHT	8,300 KG
CAPACITY	5 PEOPLE



BURAN MEDICAL	
GROSS WEIGHT	10,600 KG
CARGO WEIGHT	8,300 KG
CAPACITY	5 PEOPLE



BURAN VIP ARMORED VEHICLES




BURAN VIP – 6 SEATS

INTERIOR PARTITION WITH GLASS AND
RETRACTABLE TV

4 SEATS FACING FORWARD

REFRIGERATOR

AUDIO SYSTEM AND CLIMATE CONTROL



BURAN VIP – 7 SEATS

INTERIOR PARTITION WITH GLASS AND
RETRACTABLE TV

5 SEATS FACING FORWARD

REFRIGERATOR

AUDIO SYSTEM AND CLIMATE CONTROL




BURAN VIP – 8 SEATS

2 FOLDABLE TABLES

TV ON A STAND

4 SEATS FACING FORWARD

2 FOLDABLE SEATS FACING REARWARD



LOGISTICS SERVICES



- Clearance of customs documents
- Cargo insurance
- FSTEC - obtaining permit documents from the Federal Service for Technical and Export Control
- FSMTC – obtaining permit documents from the Federal Service for Military-Technical Cooperation


Crane loading of equipment onto the vessel



Transportation of equipment using trawls



Loading and unloading of vehicles on RO-RO vessels



Transportation of equipment on open semi-trailers



Transportation of equipment using trucks



Search and chartering of a vessel



Storage of equipment in the port until shipment



CARGO VEHICLES FOR EXPORT



URAL 432007

WHEEL FORMULA	6 x 6
ENGINE	YAMZ 238M2T, 240 HP, EURO-3
TRANSMISSION	MANUAL 5 SPEEDS
GROSS WEIGHT	15,550 KG
EMPTY WEIGHT	8,750 KG



KAMAZ 43118

WHEEL FORMULA	6 x 6
ENGINE	KAMAZ 740.30-260, 245 HP, EURO-3
TRANSMISSION	KAMAZ-154, 10 SPEEDS
GROSS WEIGHT	21,600 KG
EMPTY WEIGHT	10,500 KG



URAL 432009 ARMORED

WHEEL FORMULA	6 x 6
ENGINE	YAMZ 238M2, EURO-3
TRANSMISSION	MANUAL 5 SPEEDS
GROSS WEIGHT	17,600 KG
EMPTY WEIGHT	14,600 KG
POWER	240 / 285 HP



BURAN ARMORED

WHEEL FORMULA	4 X 4
ENGINE	YAMZ-534, 215 HP
TRANSMISSION	MANUAL, 6 SPEEDS
GROSS WEIGHT	10,600 KG
EMPTY WEIGHT	8,400 KG
CAPACITY	UP TO 10 PERSONS



59095-S ARMORED "SPARTAK"

WHEEL FORMULA	4 x 4
ENGINE	YAMZ-536, 312 HP, EURO-3
TRANSMISSION	MANUAL 5 SPEEDS
GROSS WEIGHT	14,500 KG
EMPTY WEIGHT	12,500 KG
LOAD CAPACITY	2,000 KG



ZZGT-34039U ARMORED

ENGINE	MMZ-D245 DIESEL
TRANSMISSION	MANUAL, 5 SPEEDS
SPEED ON WATER	UP TO 5 KM/H
GROSS WEIGHT	8,400 KG
EMPTY WEIGHT	6,900 KG
ECOLOGICAL CLASS	3



STURM ARMORED

WHEEL FORMULA	4 x 4
ENGINE	YAMZ-534, 149 HP
TRANSMISSION	MANUAL, 5 SPEEDS
GROSS WEIGHT	7,400 KG
EMPTY WEIGHT	5,600 KG
ECOLOGICAL CLASS	3



ZZGT-34039S

ENGINE	MMZ-D245 DIESEL, EURO-3
TRANSMISSION	MANUAL, 5 SPEEDS
GROSS WEIGHT	8,500 KG
EMPTY WEIGHT	6,000 KG
CAPACITY	13 PERSONS
SPEED ON WATER	UP TO 5 KM/H

IMPORT OF SPARE PARTS



NABEREZHNYE CHELNY

Supply from various countries around the world:


-  China
-  Turkey
-  Uzbekistan
-  Turkmenistan
-  India




Truck Tires



Cabs



**Transmission Gearboxes
Fast Gear**



Gas Engines WEICHA



Axles SAF



**Steering Mechanisms
HEMA**



**Bridges SHAANXI HANDE
AXLE**



Axles BPW



**SADDLE COUPLING
DEVICE**



LLC "AM GROUP"

Index: 423803

Russia, Republic of Tatarstan,
City of Naberezhnye Chelny,
Sergiy Titov Street, 36a, Office 33.

E-mail: amgtatar@gmail.com

Website: www.amgkama.ru

+7 855 274 09 09

+7 927 040 16 16

